



New Service Event

Judge: Jerry Gee

(Apprentice Event)

Mean Time: 10 minutes

Drop Dead Time: 15 minutes

Event Summary:

The competitor will connect a #2 triplex to a service then climb a pole, sag and connect to energized secondary at 120/240 volts. Competitors are allowed to wear class 0 rubber gloves for this event. Competitor will then climb down pole, perform voltage safety checks, install meter and meter socket cover.


Event Specifications:

1. Time starts when the judge signals for the lineman to begin.
2. Competitor will have a 5 minute set-up time.
3. The competitor can start with their tools on, with gaff guards.
4. The competitor must start at the service terminations which can be reached standing on the ground.
5. The rope will be tied to the conductor using the competitor's choice of knot. A conductor that is dropped while being raised to sag will be a 5-point deduction. No snaps, clamps, grips or similar devices for attaching the rope to the triplex will be allowed
6. The competitor must use a device for conductor sagging, slack blocks, jack strap.
7. After descending the pole the competitor must either remove gaffs or install gaff guards before returning to the service.
8. Time stops when the meter socket cover is installed after meter set.
9. Competitor will remove drop untimed (he is still being judged) and put everything back for the next competitor.
10. Triplex may be dropped after sufficient warning to judge.
11. All connectors must be returned before leaving the event.
12. See General Rules.

Rodeo Material List 2017

New Service Event

| | | | |
|----------------------------------|---------|----------------------------------|---------|
| Clevis 0337 | Chance | Clevis 0337 | Chance |
| Spool | DE455 | Spool | DE455 |
| Preform Dead End Wraps DG4542 | Preform | Preform Dead End Wraps DG4542 | Preform |
| Service Grip SG4504 | Preform | Service Grip SG4504 | Preform |
| Secondary Spreader 5060160 | Preform | Secondary Spreader 5060160 | Preform |
| Single Bolt Connector UC8W26L | Burndy | Single Bolt Connector UC8W26L | Burndy |
| #2 Triplex | Conch | #2 Triplex | Conch |



VIEW A-A

| ITEM | QTY. | MATERIAL | MATERIAL DETAILS |
|------|------|--------------------------|------------------|
| 1 | 1 | Spool | DE455 |
| 2 | 2 | Triplex Spreader | Preform 5060160 |
| 3 | 1 | Service Grip | Preform SG4504 |
| 4 | 3 | Parallel Grove Connector | Burndy UC8W26L |
| 5 | 1 | Clevis | Chance 0337 |



SERVICE EVENT

DATE

APPROVED BY

| | | |
|--|--|--|
| | | |
|--|--|--|

